Between-Series Adapters

N to TNC


N Male Plug to TNC Male Plug

Model Number

ADT-2584-NM-TNM-02

SPECIFICATIONS

Frequency: DC - 18.0 GHz VSWR: 1.04 @ DC-4.0 GHz 1.07 @ 4.0-8.0 GHz 1.12 @ 8.0-18.0 GHz Impedance: 50 Ohms Finish: Passivated Stainless Steel






N Male Plug to TNC Female Jack

Model Number ADT-2585-NM-TNF-02 SPECIFICATIONS Frequency: DC - 18.0 GHz VSWR: 1.04 @ DC-4.0 GHz

1.07 @ 4.0-8.0 GHz 1.12 @ 8.0-18.0 GHz Impedance: 50 Ohms Finish: Passivated Stainless Steel





N Female to TNC Male Plug

Model Number

ADT-2586-NF-TNM-02


SPECIFICATIONS Frequency: DC - 18.0 GHz VSWR: 1.04 @ DC-4.0 GHz 1.07 @ 4.0-8.0 GHz 1.12 @ 8.0-18.0 GHz Impedance: 50 Ohms Finish: Passivated Stainless Steel

Model Number

ADT-2587-NF-TNF-02


SPECIFICATIONS

Frequency: DC - 18.0 GHz





N Female to TNC Female Jack





VSWR: 1.04 @ DC-4.0 GHz 1.07 @ 4.0-8.0 GHz 1.12 @ 8.0-18.0 GHz Impedance: 50 Ohms Finish: Passivated Stainless Steel



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cinch Connectivity Solutions: ADT-2585-NM-TNF-02